Campden BRI group:
Campden BRI (registered no.501618)
Campden BRI (Chipping Campden) Limited (registered no. 3836922)
Campden BRI (Nutfield) (registered no. 2690377)
Registered office:
Station Road ◆ Chipping Campden ◆ Gloucestershire ◆ GL55 6LD ◆ UK

Confidential report for:

Novus DNA Ltd

[redacted]

Report on:

Analysis and testing

Work performed by Campden BRI (Chipping Campden) Limited
Report no: 188286 ◆ Issue Date: 10-Oct-2025
Our ref: Project:250915-00603

Contact details:

Client Services Team ◆ Analytical Services ◆ Campden BRI (Chipping Campden) Limited
clientservices@campdenbri.co.uk ◆ Tel: +44(0)1386 842275

Report issued and authorised by:

Campden BRI (Chipping Campden) Limited

◆

- The legal entity accredited by UKAS and taking responsibility for accredited testing activity is Campden BRI (Chipping Campden) Limited a subsidiary of Campden BRI. Tests marked 'non ukas' are not UKAS accredited and any opinions and interpretations expressed herein are outside the scope of UKAS accreditation. Unless this report includes an explicit statement of compliance/non-compliance with a requirement and/or specification, no such statement should be inferred. Unless this report includes an explicit statement to the contrary, results apply to the sample as received from client. The information provided within this report is given after the exercise of all reasonable care and skill in its compilation, preparation and issue, but is provided without liability in its application and use. This report shall not be reproduced without our written approval.
- Unless this report includes an explicit statement to the contrary, results reported relate only to the items tested and results are not corrected for recovery.
- Unless otherwise expressly agreed in writing and signed by a duly authorised representative of Campden BRI (Chipping Campden) Limited, the services to which this report pertains are subject to our Standard Terms and Conditions of Contract, available upon request or from our website: http://www.campdenbri.co.uk/campdenbri/campdenbrisupplyterms.pdf
- The information in this document is only intended for the individual or entity to whom it is addressed. It may contain privileged and confidential information that is exempt from disclosure by law and if you are not the intended recipient, you must not copy, distribute or take any action in reliance on it. If you have received this document in error please notify us immediately by telephone on +44(0)1386 842000

Privacy-redacted public copy prepared by Novus DNA Ltd — not the original report. Customer contact name, address and telephone removed; all laboratory content and results unchanged.

Abbreviations: ND=not detected, NM=not measured, NT=not tested, LOD=limit of detection, LLOQ=lower limit of quantification, ULOQ=upper limit of quantification, <=less than, >=greater than, cfu=colony forming units, est.=estimated

Client: Novus DNA Ltd

Samples received: 15-Sep-2025

Samples tested: 22-Sep-2025 - 09-Oct-2025

Order number:

Only compounds listed under “Pesticide Residue Screen Reporting Limits” have been analysed for in the samples.
Compounds listed under “Pesticide Residue Screen Reporting Limits” have been analysed for using the QuEChERS method, which is not UKAS accredited but uses the same QA and QC parameters.
† Denotes outside QC parameters.

Lab number: 826825
Condition on receipt: Satisfactory for analysis

Client's description: Berberine

Client's code: Sample 1

Test	Test reference	Result
Count of coagulase positive Staphylococci (presumptive)	TES-MB-015 (UKAS)	<10 cfu/g
Detection of Salmonella species in 25g	TES-MB-178 (UKAS)	ND
Count of mould	TES-MB-198 (UKAS)	<10 cfu/g
Count of presumptive yeast	TES-MB-198 (UKAS)	<10 cfu/g
Elemental analysis Arsenic	TES-AC-686 (UKAS)	0.030 mg/kg
Elemental analysis Cadmium	TES-AC-686 (UKAS)	0.32 mg/kg
Elemental analysis Lead	TES-AC-686 (UKAS)	0.006 mg/kg
Elemental analysis Mercury	TES-AC-686 (UKAS)	<0.005 mg/kg
Pesticide residues screen	TES-AC-709 (non UKAS)	None Detected
	(non UKAS)	Pending

Privacy-redacted public copy prepared by Novus DNA Ltd — not the original report. Customer contact name, address and telephone removed; all laboratory content and results unchanged.

Abbreviations: ND=not detected, NM=not measured, NT=not tested, LOD=limit of detection, LLOQ=lower limit of quantification, ULOQ=upper limit of quantification, <=less than, >=greater than, cfu=colony forming units, est.=estimated

Original Sample 826825 / Sample 826825 Pesticide Residues Screen Reporting Limits (mg/kg)							
Dichlobenil	0.01	Diazinon	0.01	Dichloroaniline, 3,4	0.01	Dicloran	0.01
Dichlorvos	0.01	Dichlofluanid	0.01	Dieldrin	0.01	Difenoconazole	0.01
Dicofol	0.01	Diflufenican	0.01	Dimefuron	0.01	Dimethomorph	0.01
Dimoxystrobin	0.01	Dimethoate	0.01	Diphenamid	0.01	Disulfoton Sulfone	0.01
Diphenylamine	0.01	Dioxathion	0.01	Endosulfan I	0.01	Endrin	0.01
Endosulfan II	0.01	Diuron	0.01	EPTC	0.01	Ethidimuron	0.01
Esfenvalerate	0.01	Epoxiconazole	0.01	Ethoprophos	0.01	Etofenprox	0.01
Ethoxyquin	0.01	Ethion	0.01	Etridiazole	0.01	Fenamidone	0.01
Etrimfos	0.01	Etoxazole	0.01	Fenarimol	0.01	Fenbuconazole	0.01
Fenazaquin	0.01	Fenamiphos †	0.01	Fenitrothion	0.01	Fenpropathrin	0.01
Fenoxycarb †	0.01	Fenhexamid	0.01	Fenpropimorph	0.01	Fenson	0.01
Fenpyroximate	0.01	Fenpropidin	0.01	Fenvalerate	0.01	Fipronil Sulfone	0.01
Fipronil	0.01	Fenthion	0.01	Fludioxonil	0.01	Flucythrinate	0.01
Flazasulfuron	0.01	Flufenoxuron †	0.01	Fluoxastrobin	0.01	Fluopyram	0.01
Flufenacet	0.01	Flurochloridone	0.01	Flusilazole	0.01	Flurtamone	0.01
Fluquinconazole	0.01	Flutriafol	0.01	Fonofos	0.01	Folpet	0.01
Formetanate	0.01	Fosthiazate	0.01	Formothion	0.01	Forchlorfenuron	0.01
Furathiocarb	0.01	HCH Beta	0.01	HCH Alpha	0.01	Furalaxyl	0.01
HCH Gamma	0.01	Heptachlor Epoxide	0.01	Heptachlor	0.01	HCH Delta	0.01
Hexachlorobenzene (HC	0.01	Hexaconazole	0.01	Heptenophos	0.01	Imibenconazole	0.01
Imidacloprid	0.01	Ipconazole	0.01	Iprodione	0.01	Iprobenfos	0.01
Iodofenphos	0.01	Isazofos	0.01	Isofenphos-methyl	0.01	Isocarbophos	0.01
Isoprothiolane	0.01	Isoxaben	0.01	Isoprocarb	0.01	Linuron	0.01
Malathion	0.01	Malaoxon	0.01	Mepanipyrim	0.01	Mepronil	0.01
Mephosfolan	0.01	Mecarbam	0.01	Metamitron †	0.01	Methacrifos	0.01
Metazachlor	0.01	Metalaxyl	0.01	Methidathion	0.01	Methomyl	0.01
Methiocarb	0.01	Methamidophos	0.01	Metolachlor	0.01	Metobromuron	0.01
Methoxychlor	0.01	Metribuzin †	0.01	Mevinphos	0.01	Metsulfuron-methyl †	0.01
Metrafenone	0.01	Monuron	0.01	Myclobutanil †	0.01	Molinate	0.01
DEET	0.01	Demeton-S-methyl	0.01	Deltamethrin (sum)	0.01	DDT pp	0.01
DDE op	0.01	DDT op	0.01	DDE pp	0.01	DDD pp	0.01
Cyprodinil	0.01	DDD op	0.01	Cyproconazole	0.01	Cyhalothrin lambda	0.01
Cypermethrin (sum)	0.01	Cyfluthrin (sum)	0.01	Clothianidin	0.01	Cyanazine	0.01
Coumaphos	0.01	Chlortoluron	0.01	Clofentezine	0.01	Chlozolinate	0.01
Chlorthal-dimethyl	0.01	Chlorpropham	0.01	Chlorpyrifos-methyl	0.01	Chlorpyrifos-ethyl	0.01
Chloridazon	0.01	Chloropropham	0.01	Chlorobenzilate	0.01	Chlorfenvinphos	0.01
Chlordane-trans	0.01	Chlorfenson	0.01	Chlorfenapyr	0.01	Chlordane-cis	0.01
Carfentrazone-ethyl	0.01	Carbophenothion	0.01	Carbendazim	0.01	Carbofuran	0.01
Carbetamide	0.01	Carbaryl	0.01	Captan	0.01	Cadusafos	0.01
Butachlor	0.01	Bromuconazole	0.01	Buprofezin	0.01	Bupirimate	0.01
Bromoxynil	0.01	Bromofos-ethyl	0.01	Bromopropylate	0.01	Bromophos methyl	0.01
Biphenyl †	0.01	Boscalid	0.01	Bitertanol	0.01	Bifenthrin	0.01

Privacy-redacted public copy prepared by Novus DNA Ltd — not the original report. Customer contact name, address and telephone removed; all laboratory content and results unchanged.

Abbreviations: ND=not detected, NM=not measured, NT=not tested, LOD=limit of detection, LLOQ=lower limit of quantification, ULOQ=upper limit of quantification, <=less than, >=greater than, cfu=colony forming units, est.=estimated

Benzovindiflupyr	0.01	Bifenox	0.01	Benthiavalicarb-isoprop	0.01	Benalaxyl	0.01
Bendiocarb	0.01	Azoxystrobin	0.01	Azaconazole †	0.01	Atrazine	0.01
Aminocarb	0.01	Anthraquinone †	0.01	Ametoctradin	0.01	Allethrin	0.01
Aldrin	0.01	Alachlor	0.01	Acibenzolar-S-methyl	0.01	Acrinathrin	0.01
Aclonifen	0.01	Acetochlor	0.01	2-Phenylphenol †	0.01	Acetamiprid	0.01
3-Hydroxycarbofuran	0.01	2,4-DB	0.01	Norflurazon	0.01	Nitrofen	0.01
Oxadiazon	0.01	Ofurace	0.01	Oxycarboxin	0.01	Paclobutrazol	0.01
Oxamyl	0.01	Paration ethyl	0.01	Parathion-methyl	0.01	Paraoxon-ethyl	0.01
Pencycuron	0.01	Pentachloroaniline	0.01	Pendimethalin	0.01	Penconazole	0.01
Phenthoate	0.01	Phenmedipham	0.01	Pentanochlor	0.01	Phosalone	0.01
Phosmet	0.01	Phosfolan	0.01	Phoxim	0.01	Piperonyl butoxide	0.01
Picoxystrobin	0.01	Phosphamidon	0.01	Pirimiphos-ethyl	0.01	Prochloraz	0.01
Pirimiphos-methyl	0.01	Pirimicarb	0.01	Profenofos	0.01	Prometryn	0.01
Promecarb	0.01	Procymidone	0.01	Propamocarb	0.01	Propargite	0.01
Propachlor	0.01	Propiconazole	0.01	Propham	0.01	Propazine	0.01
Propyzamide	0.01	Prothiofos	0.01	Propoxur	0.01	Pyraflufen-ethyl	0.01
Pyridaben	0.01	Pyrazophos	0.01	Pyraclostrobin	0.01	Pyrifenox	0.01
Pyriproxyfen	0.01	Pyrimethanil	0.01	Pyridaphenthion	0.01	Quinoxyfen	0.01
Quintozene	0.01	Quinalphos	0.01	Resmethrin	0.01	Rotenone	0.01
Quizalofop-p-terfyryl †	0.01	Simazine	0.01	Spinosad †	0.01	Spiroxamine	0.01
Tau-fluvalinate	0.01	Sulfotep	0.01	Tebufenpyrad	0.01	Tefluthrin	0.01
Tecnazene	0.01	Tebuconazole	0.01	Terbufos	0.01	Terbuthylazine	0.01
Terbufos-sulfone	0.01	Terbacil	0.01	Tetrachlorvinphos	0.01	Tetradifon	0.01
Tetraconazole	0.01	Terbutryn	0.01	Thiacloprid	0.01	Thidiazuron	0.01
Thiamethoxam †	0.01	Tolclofos-methyl †	0.01	Thiodicarb	0.01	Triadimefon	0.01
Triadimenol	0.01	Triazophos	0.01	Tricyclazole	0.01	Triazamate	0.01
Trietazine	0.01	Triflumizole	0.01	Trifloxystrobin	0.01	Tridemorph	0.01
Vinclozolin	0.01	Trifluralin	0.01				

Privacy-redacted public copy prepared by Novus DNA Ltd — not the original report. Customer contact name, address and telephone removed; all laboratory content and results unchanged.